

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX SMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

CONSILEX SMOG REMOVER

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for construction and construction: Detergent specific for removing smog and graffiti from masonry.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

**Street :** Via G. Gentile16/A

**Postal code/city :** 46044 Goito (MN)

**Telephone :** +390376604185/604365

**Telefax :** +39 0376 604398

**Information contact :** info@azichem.com

#### 1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

###### Hazard pictograms



Corrosion (GHS05)

###### Signal word

Danger

###### Hazard components for labelling

ISOTRIDECANOL, ETHOXYLATED ; CAS No. : 9043-30-5

###### Hazard statements

H318 Causes serious eye damage.

###### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER/doctor

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX ANTISMOG REMOVER  
Revision date : 10.05.2017  
Print date : 15.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

(2-METHOXYMETHYLETHOXY)PROPANOL ; REACH registration No. : 01-2119450011-60 ; EC No. : 252-104-2; CAS No. : 34590-94-8

Weight fraction :  $\geq 80 - < 85$  %

Classification 1272/2008 [CLP] : Substance with a common (EC) occupational exposure limit value.

PROPYLENE CARBONATE ; EC No. : 203-572-1; CAS No. : 108-32-7

Weight fraction :  $\geq 15 - < 20$  %

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

(Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8

Weight fraction :  $\geq 1 - < 5$  %

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

ISOTRIDECANOL, ETHOXYLATED ; EC No. : 500-027-2; CAS No. : 9043-30-5

Weight fraction :  $\geq 3 - < 5$  %

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318

(Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8

Weight fraction :  $\geq 1 - < 2,5$  %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

#### Additional information

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2 Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX ANTISMOG REMOVER  
Revision date : 10.05.2017  
Print date : 15.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide. Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

Remove persons to safety.

#### Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

#### For non-emergency personnel

Remove persons to safety.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

## SECTION 7: Handling and storage



### 7.1 Precautions for safe handling

#### Protective measures

##### Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

#### Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

#### Hints on joint storage

Storage class : 10

Storage class (TRGS 510) : 10

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

### Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

(2-METHOXYMETHYLETHOXY)PROPANOL ; CAS No. : 34590-94-8

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 50 ppm / 310 mg/m<sup>3</sup>

Peak limitation : 1(I)

Version : 06.11.2015

Limit value type (country of origin) : TWA ( EC )

Limit value : 50 ppm / 308 mg/m<sup>3</sup>

Remark : H

Version : 08.06.2000

#### DNEL/DMEL and PNEC values

##### DNEL/DMEL

Limit value type : DNEL Consumer (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Inhalation

Exposure frequency : Long-term (repeated)

Limit value : 2440 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Dermal

Exposure frequency : Long-term (repeated)

Limit value : 85 mg/kg/day

Limit value type : DNEL Consumer (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Oral

Exposure frequency : Long-term (repeated)

Limit value : 24 mg/kg/day

Limit value type : DNEL worker (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Dermal

Exposure frequency : Long-term (repeated)

Limit value : 4060 mg/kg/day

Limit value type : DNEL worker (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Inhalation

Exposure frequency : Long-term (repeated)

Limit value : 285 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Inhalation

Exposure frequency : Long-term (repeated)

Limit value : 2440 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. :

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

26635-93-8 )  
Exposure route : Dermal  
Exposure frequency : Long-term (repeated)  
Limit value : 85 mg/kg/day  
Limit value type : DNEL Consumer (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Oral  
Exposure frequency : Long-term (repeated)  
Limit value : 24 mg/kg/day  
Limit value type : DNEL worker (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Dermal  
Exposure frequency : Long-term (repeated)  
Limit value : 4060 mg/kg/day  
Limit value type : DNEL worker (systemic) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Inhalation  
Exposure frequency : Long-term (repeated)  
Limit value : 285 mg/m<sup>3</sup>

**PNEC**  
Limit value type : PNEC aquatic, freshwater ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 0,102 mg/l  
Limit value type : PNEC aquatic, intermittent release ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 0,036 mg/l  
Limit value type : PNEC aquatic, marine water ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 0,01 mg/l  
Limit value type : PNEC sediment, freshwater ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Soil  
Limit value : 3,58 mg/kg  
Limit value type : PNEC sediment, marine water ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Soil  
Limit value : 0,358 mg/kg  
Limit value type : PNEC sewage treatment plant (STP) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 1084 mg/l  
Limit value type : PNEC aquatic, freshwater ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 0,102 mg/l  
Limit value type : PNEC aquatic, intermittent release ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 0,036 mg/l  
Limit value type : PNEC aquatic, marine water ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )

Exposure route : Water (Including sewage plant)  
Limit value : 0,01 mg/l

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

Limit value type : PNEC sediment, freshwater ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )  
Exposure route : Soil  
Limit value : 3,58 mg/kg  
Limit value type : PNEC sediment, marine water ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )  
Exposure route : Soil  
Limit value : 0,358 mg/kg  
Limit value type : PNEC sewage treatment plant (STP) ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )  
Exposure route : Water (Including sewage plant)  
Limit value : 1084 mg/l

### 8.2 Exposure controls

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Personal protection equipment



When using do not eat, drink, smoke, sniff.

#### Eye/face protection

##### Suitable eye protection

Safety glasses with side shields (EN 166).

#### Skin protection

##### Hand protection

Wear rubber gloves approved under standard EN374.

#### Respiratory protection

In case of exceeding the threshold value (if available) of one or more of the substances present in the product, for daily exposure in the workplace or to a fraction established by the service of prevention and protection service, wear a mask with filter type B or universal, the class (1, 2 or 3) must be chosen according to the limit concentration of use (ref. standard EN 141).

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Safety relevant basis data

<b>Aspect</b>		mellow
<b>Colour</b>		Turbid
<b>Odour</b>		light
<b>Melting point/melting range :</b>	( 1013 hPa )	No data available
<b>Vapour density</b>	( (air = 1) )	Data not available
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	No data available
<b>Decomposition temperature :</b>		No data available
<b>Self flammability</b>		No data available
<b>Flash point :</b>	>	60 °C
<b>Flammability (solid, gas)</b>		Data not available
<b>Lower explosion limit :</b>		No data available
<b>Upper explosion limit :</b>		No data available
<b>Explosive properties</b>		Data not available
<b>Vapour pressure</b>	( 20 °C )	No data available

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

<b>Density :</b>	( 20 °C )	approx.	1	g/cm <sup>3</sup>
<b>Density :</b>	( 23 °C )		No data available	
<b>Water solubility :</b>	( 20 °C )		Soluble	
<b>pH :</b>	( 20 °C / 10 g/l )		6 - 8	
<b>Log Pow</b>	( 20 °C )		not applicable	
<b>Viscosity :</b>	( 20 °C )		No data available	
<b>Viscosity :</b>	( 23 °C )		No data available	
<b>Odour threshold</b>			Data not available	
<b>Evaporation rate</b>			Data not available	
<b>Oxidizing properties</b>			Data not available	

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

See section 7. No additional measures necessary.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

Carbon monoxide. Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

##### Acute oral toxicity

Parameter :	LD50 ( (2-METHOXYMETHYLETHOXY)PROPANOL ; CAS No. : 34590-94-8 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg
Parameter :	LD50 ( PROPYLENE CARBONATE ; CAS No. : 108-32-7 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg
Parameter :	LD50 ( ISOTRIDEKANOL, ETHOXYLATED ; CAS No. : 9043-30-5 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg

##### Acute dermal toxicity

Parameter :	LD50 ( (2-METHOXYMETHYLETHOXY)PROPANOL ; CAS No. : 34590-94-8 )
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	9500 mg/kg
Parameter :	LD0 ( PROPYLENE CARBONATE ; CAS No. : 108-32-7 )

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg

### Acute inhalation toxicity

Parameter : LD50 ( (2-METHOXYMETHYLETHOXY)PROPANOL ; CAS No. : 34590-94-8 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 1500 mg/m<sup>3</sup>

### Irritant and corrosive effects

#### Primary irritation to the skin

Not an irritant.

#### Irritation to eyes

Risk of serious damage to eyes.

#### Irritation to respiratory tract

Not an irritant.

### Sensitisation

No known sensitizing effect.

### Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

## SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) daphnia toxicity

Parameter : EC50 ( PROPYLENE CARBONATE ; CAS No. : 108-32-7 )  
Species : Daphnia magna (Big water flea)  
Effective dose : > 1000 mg/l  
Exposure time : 48 h

##### Acute (short-term) algae toxicity

Parameter : EC50 ( PROPYLENE CARBONATE ; CAS No. : 108-32-7 )  
Species : Scenedesmus subspicatus  
Effective dose : > 900 mg/l  
Exposure time : 72 h

##### Bacteria toxicity

Parameter : EC50 ( PROPYLENE CARBONATE ; CAS No. : 108-32-7 )  
Species : Bacteria- activated sludge  
Parameter : EC50 ( ISOTRIDECANOL, ETHOXYLATED ; CAS No. : 9043-30-5 )  
Species : bacteria  
Effective dose : > 1000 mg/l

### 12.2 Persistence and degradability

#### Biodegradation

Parameter : Biodegradation ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )  
Inoculum : Degree of elimination  
Effective dose : < 60 %  
Exposure time : 28 days  
Method : OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C  
Parameter : Biodegradation ( (Z)-OCTADEC-9-ENYLAMINE, ETHOXYLATED ; CAS No. : 26635-93-8 )



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

Inoculum : Degree of elimination  
Effective dose : < 60 %  
Exposure time : 28 days  
Method : OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

No information available.

### 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

Dispose according to legislation.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) 1907/2006/CE (REACH). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending,

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 1297/2015 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008).

### Other regulations (EU)

**Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List**

None

### National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

## 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients

### 16.2 Abbreviations and acronyms

#### LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50/100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50/100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** CONSILEX ANTISMOG REMOVER  
**Revision date :** 10.05.2017  
**Print date :** 15.05.2017

**Version (Revision) :** 2.0.0 (1.0.0)

---

N.A.: Non applicabile  
VwWwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwWwS)  
PNEC: Predicted No Effect Concentration  
PNOS: Particulates not Otherwise Specified  
BOD: Biochemical Oxygen Demand  
COD: Chemical Oxygen Demand  
BCF: BioConcentration Factor  
TRGS : Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany  
LCLo: Lethal Concentration Low (La minima concentrazione letale)  
ThOD: Theoretical Oxygen Demand

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---